
Architectural Colour Selector

The Architectural Colour Selector features products suitable for use on interior and exterior applications.

It includes warrantable products up to 15 years durability and non warrantable products.



Dulux World of ColourPowder Coat Series

Australian Collection



Architectural Colour Selector




















Popular solid colours including COLORBOND® steel colours delivered with warranty grade* advanced durable polyester thermosetting powder. Recommended usage includes exterior residential buildings less than 4 levels. See product suitability tables for more information.



^{*} All Dulux Duralloy®, Precious® and Protexture™ products are supported by Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions and maintained within the Dulux recommended Care and Maintenance guidelines. For more information visit duluxpowders.com.au/warranties



















Beautiful, decorative pearlescent and metallic finishes delivered with warranty grade* advanced durable polyester thermosetting powder. Recommended usage includes exterior residential buildings less than 4 levels. See product suitability tables for more information.



MOTHER OF PEARL Gloss 97184678



NATURAL PEARL Matt 97189119



CITI PEARL Matt 97188471




METRO SILVER GLOW PEARL Gloss 97184623



COPPER PEARL Satin 9714137Q



BRIGHT GOLD PEARL Matt 9718420Q



SILVER PEARL Satin 9717874Q



PEWTER PEARL Satin 97188202



BRONZE COPPER PEARL Matt 9718418Q



PROSECCO PEARL Matt 9718417Q




METRO STORM PEARL Satin 97184684



STEEL PEARL Gloss 97157127




METRO BRONZE PEARL Satin 97159003



ANODIC BRONZE PEARL Satin 9718416Q



CHARCOAL METALLIC PEARL Gloss 97118796



ONYX PEARL Gloss 97152052

- Non habitable projects are those that are not dwelling types. Examples can be furniture, bus shelters, signage etc.
- Residential properties < 4 levels are typically easy to maintain, given their height and access.
- Light commercial projects < 4 levels are sheltered from neighbouring buildings, but require greater durability due to higher usage and wear.
- High rise residential and commercial projects are less sheltered from neighbouring buildings, raising their exposure and reducing their ease of maintenance.
 Prestigious commercial projects attract attention and require high quality finishes to uphold the longevity and design requirements.
- · Monumental projects attract the most attention and have the highest standards required to uphold the reputation and protection expected from landmark sites.











Flat 20T7723F



✓ AS 3715 ✓ AAMA 2603

Highly mar and scuff resistant textured finishes built to protect, delivered with warranty grade* advanced highly durable polyester thermosetting powder. Recommended usage includes exterior residential and light commercial buildings less than 4 levels. See product suitability tables for more information.



WHITE Flat 20T1373F



SURFMIST® Flat 20T1137F



MONUMENT® Flat 20T9067F



NATURAL WHITE™ Flat 20T1119F



СВ SHALE GREY™ Flat 20T7834F



DARK BRONZE Flat 21T8184F



BLACK Flat 20T9215F







Fun, bright solid colours that produce a big impact, delivered with tough polyester thermosetting powder. Recommended usage includes exterior non-habitable projects. Alphatec is not supported by a Dulux warranty and where colour retention is paramount, we recommend the Duratec® Intensity® powder coat range. See product suitability tables for more information.



LEMON YELLOW Gloss 98432120



ORANGE X15 Gloss 98451439

Gloss 2654293G RC



BLAZE BLUE Gloss 98419941



MISTLET0E Gloss 98451040



YELLOW GOLD



SIGNAL RED



FRENCH BLUE



DARK VIOLET



SAFETY YELLOW Gloss 9842015G

Gloss 2652162G RC



FLAME RED Gloss 98419959



POMMEL BLUE Gloss 98451034



SPACE BLUE Gloss 98419990

RANGE	COLOUR NAME	FINISH	L00K	DADID CLIDE	COLORBOND®	PRODUCT CODE	R	G	В	LRV#	SPECULAR LIGHT REFLECTANCE#
				KAPID CORE	COLORBOND						
Alphatec	Blaze Blue	Gloss	Bright			98419941	0	128	183	18	3.7 3.5
Alphatec Alphatec	Dark Violet Flame Red	Gloss Gloss	Bright Bright			98451926 98419959	89 153	88 58	123 58	9 10	3.6
Alphatec	French Blue	Gloss	Bright			98432725	41	105	170	14	4.2
Alphatec	Lemon Yellow	Gloss	Bright			98432120	248	212	87	68	4.3
Alphatec	Mistletoe	Gloss	Bright			98451040	45	119	70	14	3.6
Alphatec	Orange X15	Gloss	Bright	RC		2654293G	221	110	58	27	4.0
Alphatec Alphatec	Orange X15 Pommel Blue	Gloss Gloss	Bright Bright			98451439 98451034	222 40	115 98	60 141	28 11	4.2 3.4
Alphatec	Safety Yellow	Gloss	Bright	RC		2652162G	244	162	50	46	4.5
Alphatec	Safety Yellow	Gloss	Bright	110		9842015G	245	162	50	46	4.4
Alphatec	Signal Red	Gloss	Bright			98450735	177	69	59	14	3.8
Alphatec	Space Blue	Gloss	Bright			98419990	49	75	128	7	3.6
Alphatec	Yellow Gold	Gloss	Bright			98433617	250	165	34	48	4.2
Duralloy Duralloy	Anotec® Dark Grey Anotec® Mid Bronze	Matt Matt	Solid Colour Solid Colour			27251275 27251014	75 82	81 72	85 66	8 7	1.5 1.0
Duralloy	Anotec® Silver Grey	Matt	Solid Colour			27251272	183	184	185	48	1.2
Duralloy	Apo Grey	Satin	Solid Colour			27232786	179	180	179	46	2.7
Duralloy	Basalt®	Matt	Solid Colour	RC	CB	2607475M	104	105	105	14	1.1
Duralloy	Basalt®	Matt	Solid Colour	50	CB	2727865M	105	107	108	15	1.6
Duralloy Duralloy	Basalt® Basalt®	Satin Satin	Solid Colour Solid Colour	RC	CB CB	2607473S 2727865S	105 106	105 108	106 109	14 15	2.1 3.0
Duralloy	Berry Grey	Gloss	Solid Colour		CB	2727262G	92	96	107	12	3.5
Duralloy	Berry Grey	Satin	Solid Colour			27288362	92	96	100	12	2.8
Duralloy	Black	Gloss	Solid Colour	RC		2609132G	60	61	61	5	3.6
Duralloy	Black	Gloss	Solid Colour			2729090G	58	57	57	4	3.1
Duralloy	Black (Night Sky®)	Matt	Solid Colour	RC	CB	2609129M	59	60	60	5	1.3
Duralloy	Black (Night Sky®)	Matt Satin	Solid Colour	RC	CB CB	27219319 2609128S	59 59	59 59	60 60	5 4	1.8 2.6
Duralloy Duralloy	Black (Night Sky®) Black (Night Sky®)	Satin	Solid Colour Solid Colour	RC.	CB	27219268	58	58	59	4	2.5
Duralloy	Blue Ridge®	Satin	Solid Colour		CB	27288480	88	107	117	14	2.6
Duralloy	Bright White	Gloss	Solid Colour			27284636	226	235	243	83	4.2
Duralloy	Charcoal	Matt	Solid Colour			2729229M	69	73	76	7	1.7
Duralloy	Charcoal	Satin	Solid Colour	RC		26088351	71	74	77	7	3.1
Duralloy Duralloy	Charcoal Charcoal	Satin Gloss	Solid Colour Solid Colour			27288351 2729086G	71 71	74 74	77 76	7 7	3.1 3.7
Duralloy	Classic Cream™	Matt	Solid Colour		СВ	2722265M	232	212	182	68	2.5
Duralloy	Classic Cream™	Satin	Solid Colour	RC	CB	2602095S	232	212	182	68	2.6
Duralloy	Classic Cream™	Satin	Solid Colour		CB	2722095S	232	212	182	68	2.4
Duralloy	Classic Pearl White	Gloss	Solid Colour	RC		2601228G	245	247	244	93	4.7
Duralloy	Classic Pearl White	Gloss	Solid Colour		OD	27281880	245	247	244	93	4.3
Duralloy Duralloy	Cottage Green® Cove®	Satin Satin	Solid Colour Solid Colour		CB CB	27284219 2726250S	76 156	95 146	83 125	10 29	2.6 3.1
Duralloy	Deep Brunswick Green	Gloss	Solid Colour		CD	2726134G	64	76	69	7	3.8
Duralloy	Deep Ocean®	Matt	Solid Colour		СВ	2725422M	77	91	100	10	1.7
Duralloy	Deep Ocean®	Satin	Solid Colour		CB	2725125S	74	88	98	9	2.9
Duralloy	Dune®	Matt	Solid Colour		CB	2727558M	179	171	163	42	2.4
Duralloy	Dune®	Satin	Solid Colour		CB CB	2723087S	179	170 190	160 173	41 52	2.9 2.9
Duralloy Duralloy	Evening Haze® Grey Nurse	Satin Gloss	Solid Colour Solid Colour		СВ	2723055S 2727863G	198 201	199	189	57	3.9
Duralloy	Gully®	Satin	Solid Colour		СВ	2728233S	130	123	113	20	2.9
Duralloy	Hammersley Brown	Satin	Solid Colour			27284657	88	76	73	8	2.5
Duralloy	Ironstone®	Matt	Solid Colour	RC	СВ	2607556M	86	90	95	10	1.3
Duralloy	Ironstone®	Matt	Solid Colour	DO.	CB	2727864M	88	92	99	11	1.9
Duralloy Duralloy	Ironstone® Ironstone®	Satin Satin	Solid Colour Solid Colour	RC	CB CB	2607257S 2727257S	87 87	92 92	98 98	11 11	2.9 2.8
Duralloy	Jasper®	Matt	Solid Colour	RC	CB	2608252M	116	105	96	15	1.3
Duralloy	Jasper®	Matt	Solid Colour		СВ	2728413M	115	105	95	15	1.9
Duralloy	Jasper®	Satin	Solid Colour		CB	2728122S	117	107	97	15	2.4
Duralloy	Lexicon® Quarter	Matt	Solid Colour		0.5	2721378M	244	243	239	90	2.2
Duralloy Duralloy	Mangrove® Manor Red®	Satin Satin	Solid Colour Solid Colour		CB CB	2726473S 2724134S	116 118	117 70	102 65	18 9	2.8 2.2
Duralloy	Monument®	Matt	Solid Colour	RC	CB	2609066M	79	80	80	8	1.2
Duralloy	Monument®	Matt	Solid Colour		СВ	2729066M	82	82	82	9	1.8
Duralloy	Monument®	Satin	Solid Colour	RC	CB	2609067S	79	80	79	8	2.4
Duralloy	Monument®	Satin	Solid Colour		CB	2729067S	80	80	80	8	2.5
Duralloy	Natural White™	Matt	Solid Colour			2721380M	240	235	228	84	2.3
Duralloy Duralloy	Navy Blue Notre Dame	Gloss Gloss	Solid Colour Solid Colour			2725425G 27236672	58 107	77 111	96 112	7 16	3.8 3.9
Duralloy	Olde Pewter	Satin	Solid Colour			27250243	122	124	126	20	3.0
Duralloy	Oyster	Matt	Solid Colour	RC		26036858	196	197	193	56	1.3
Duralloy	Oyster	Matt	Solid Colour			27236858	197	197	193	56	1.4
Duralloy	Pale Eucalypt®	Matt	Solid Colour	5.0	CB	2726474M	132	137	118	24	1.8
Duralloy	Pale Eucalypt®	Satin	Solid Colour	RC	CB	2606127S	133	138	119	25	2.5
Duralloy Duralloy	Pale Eucalypt® Paperbark®	Satin Matt	Solid Colour Solid Colour		CB CB	2726474S 2723174M	132 204	137 186	118 164	24 51	3.1 2.4
Duralloy	Paperbark®	Satin	Solid Colour	RC	CB	2603135S	204	186	164	51	3.3
Duralloy	Paperbark®	Satin	Solid Colour		CB	2723088S	204	186	164	51	3.3
Duralloy	Pearl White	Gloss	Solid Colour	RC		2601229G	240	244	243	90	4.6
Duralloy	Pearl White	Gloss	Solid Colour			2721114G	239	245	244	90	4.7
Duralloy Duralloy	Pink Sand Primrose	Matt Gloss	Solid Colour Solid Colour	RC		2724410M 26084365	211 239	186 219	174 188	52 73	2.2 3.9
Duralloy	Primrose	Gloss	Solid Colour	NU		27284365	239	219	187	73	3.8
Duralloy	Rivergum Beige	Gloss	Solid Colour			27236991	222	210	196	66	3.4
Duralloy	Riversand®	Matt	Solid Colour		СВ	2723193M	167	151	136	32	1.7
Duralloy	Shale Grey™	Matt	Solid Colour	RC	CB	2607557M	185	186	180	49	1.5

RANGE	COLOUR NAME	FINISH	L00K	RAPID CURE	COLORBOND®	PRODUCT CODE	R	G	В	LRV#	SPECULAR LIGHT REFLECTANCE#
Duralloy	Shale Grey™	Matt	Solid Colour		СВ	2727557M	185	186	180	49	1.5
Duralloy	Shale Grey™	Satin	Solid Colour	RC	CB	26083246	186	187	183	50	2.8
Duralloy	Shale Grey™	Satin	Solid Colour		CB	27283246	186	187	183	50	2.8
Duralloy	Shoji White	Satin	Solid Colour			27284682	228	225	218	76	3.0
Duralloy	Stone Beige	Matt	Solid Colour			27232538	199	177	154	46	2.0
Duralloy	Stone Grey	Satin	Solid Colour			27278126	155	152	148	32	2.8
Duralloy	Surfmist [®]	Matt	Solid Colour	RC	CB	2603167M	220	218	210	70	1.9
Duralloy	Surfmist®	Matt	Solid Colour		CB	2722266M	221	219	211	69	2.3
Duralloy	Surfmist®	Satin	Solid Colour	RC	CB	2601137S	218	216	208	69	2.7
Duralloy	Surfmist®	Satin	Solid Colour		CB	2721137S	218	216	208	69	2.7
Duralloy	Terrain®	Satin	Solid Colour		CB	2728232S	113	77	64	9	2.4
Duralloy	Territory Red	Matt	Solid Colour			2724411M	143	82	67	12	1.6
Duralloy	Transformer Grey	Gloss	Solid Colour			27232186	138	148	142	29	4.0
Duralloy	Wallaby®	Matt	Solid Colour		CB	2727866M	121	120	117	19	1.9
Duralloy	Wallaby®	Satin	Solid Colour	RC	CB	2607474S	121	118	113	18	2.3
Duralloy	Wallaby [®]	Satin	Solid Colour		CB	2727866S	122	120	118	19	3.3
Duralloy	Wedgewood	Satin	Solid Colour			27250279	101	136	157	23	2.3
Duralloy	Whisper White	Matt	Solid Colour			2721376M	236	234	226	83	2.4
Duralloy	White	Matt	Solid Colour			2721139M	244	244	239	91	2.3
Duralloy	White	Satin	Solid Colour	RC		2601139S	245	246	242	92	3.0
Duralloy	White	Satin	Solid Colour			27211395	245	246	242	92	3.0
Duralloy	White Birch	Gloss	Solid Colour			27237131	248	238	220	87	4.3
Duralloy	Wilderness®	Satin	Solid Colour		CB	27284224	111	122	109	19	2.6
Duralloy	Windspray®	Matt	Solid Colour		CB	2727559M	137	143	141	27	1.0
Duralloy	Windspray®	Satin	Solid Colour		CB	2727256S	138	143	141	27	2.7
Duralloy	Woodland Grey®	Matt	Solid Colour	RC	CB	2606256M	93	93	89	11	1.2
Duralloy	Woodland Grey®	Matt	Solid Colour		CB	2727197M	94	93	89	11	1.6
Duralloy	Woodland Grey®	Satin	Solid Colour	RC	CB	2606255S	94	93	88	11	2.7
Duralloy	Woodland Grey®	Satin	Solid Colour		CB	2727255S	97	96	92	12	3.1
Precious	Anodic Bronze Pearl	Satin	Pearlescent			9718416Q	100	89	77	11	2.7
Precious	Bright Gold Pearl	Matt	Pearlescent			9718420Q	176	144	95	30	2.8
Precious	Bronze Copper Pearl	Matt	Pearlescent			9718418Q	140	107	77	17	3.3
Precious	Charcoal Metallic Pearl	Gloss	Pearlescent			97118796	72	72	72	7	3.2
Precious	Citi Pearl	Matt	Pearlescent			97188471	172	177	180	44	2.6
Precious	Copper Pearl	Satin	Pearlescent			9714137Q	158	114	90	20	3.6
Precious	Metro Bronze Pearl	Satin	Pearlescent			97159003	89	86	85	10	3.2
Precious	Metro Silver Glow Pearl	Gloss	Pearlescent			97184623	174	179	181	45	5.0
Precious	Metro Storm Pearl	Satin	Pearlescent			97184684	107	104	107	15	3.5
Precious	Mother Of Pearl	Gloss	Pearlescent			97184678	227	223	215	74	4.5
Precious	Natural Pearl	Matt	Pearlescent			97189119	171	172	169	41	3.3
Precious	Onyx Pearl	Gloss	Pearlescent			97152052	79	82	83	8	4.5
Precious	Pewter Pearl	Satin	Pearlescent			97188202	135	138	139	25	3.2
Precious	Prosecco Pearl	Matt	Pearlescent			9718417Q	147	134	120	25	2.5
Precious	Silver Pearl	Satin	Pearlescent			9717874Q	151	154	154	37	4.9
Precious	Steel Pearl	Gloss	Pearlescent			97157127	87	90	92	10	4.1
Protexture	Basalt®	Flat	Textured		CB	20T7723F	105	107	107	15	0.9
Protexture	Black	Flat	Textured			20T9215F	61	61	62	5	0.2
Protexture	Dark Bronze	Flat	Textured			21T8184F	70	66	64	6	1.0
Protexture	Monument®	Flat	Textured		CB	20T9067F	81	81	81	8	0.9
Protexture	Natural White™	Flat	Textured			20T1119F	237	235	230	84	0.7
Protexture	Shale Grey™	Flat	Textured		CB	20T7834F	186	186	182	49	0.6
Protexture	Surfmist®	Flat	Textured		CB	20T1137F	218	217	211	69	0.7
Protexture	White	Flat	Textured			20T1373F	243	245	243	91	0.8

[#] Light Reflectance Value (LRV): The total amount of visible light reflected from the coating, expressed as a percentage of total incoming light. Surfaces with higher light reflectance values appear lighter while surfaces with low light reflectance values appear darker.

Specular Light Reflectance: The portion of incoming light that is reflected such that the reflected ray is at the same angle to the surface normal as the incoming ray. Specular light reflection is expressed as a percentage of total incoming light. Surfaces with a lower specular reflection produce less glare as they scatter or absorb a greater portion of the incoming light.

Worth doing, worth Dulux.

Meeting Industry Standards

Dulux Duralloy, Precious and Protexture powder coat products are designed to meet both the global AAMA and Australian AS3715 standards for architectural aluminium finishes.

	Duralloy	Precious	Protexture
AAMA Standards	Meets 2603	Meets 2603	Exceeds 2603
Coating type	Durable Polyester	Durable Polyester	Highly Durable Polyester

Project suitability

Ensure you specify the right Dulux powder coat product for your requirements by using the following table to help define your project by type and exposure conditions. Refer to our Premium Architectural Colour Selector card for our Premium range of products suitable for other project types and conditions.

Product Suitability by Project

Project, Environment and Conditions

Project Type'	Environment	Conditions ¹	Duralloy ³	Precious ³	Protexture⁴	Alphatec		
Light Commercial (< 4 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)			•			
Residential (< 4 levels)	Exterior	Severe (C4-C5)			•			
Residential (< 4 levels)	Exterior	Mild (C2-C3)	•	•	•			
Non-Habitable	Exterior	Severe (C4-C5)			•			
Non-Habitable	Exterior	Mild (C2-C3)	•	•	•	0		
All Projects	Interior	Moderate Interior (C3-4)			•			
All Projects	Interior	General Interior (C1-C2)	•	•	•	0		

- Steel Shield and Alumi Shield Warranties available.
- 1. For more information about project conditions, corrosivity zones and corrosion rates refer to duluxpowers.com.au/warranties.
- 2. Primers may be required for perforated and expanded aluminium and steel applications depending on project conditions. For full system requirements refer to duluxpowders.com.au/warranties.
- 3. Duralloy and Precious are only suitable for coastal, river and lake salt water environments >100m from the high tide and are NOT suitable in strongly acidic or caustic environments so the pH must be between 5 and 9.

 4. Protexture is only suitable for coastal, river and lake salt water environments >10m from the high tide and is NOT suitable in strongly acidic or caustic environments so the pH must be between 5 and 9.

Top Coat Choice²

For more information on specifying the right product for your project, call 13 24 99 or visit duluxpowders.com.au

Warranted Performance

All Dulux Duralloy, Precious and Protexture powder coat products are backed by product

- Architectural aluminium, including perforated aluminium and expanded aluminium
- Mild steel, bright/semi bright steel, black steel and blue steel

	Warranty	Duralloy	Precious	Protexture	
Alumi Shield	Aluminium Durability	10 Years	10 Years	15 Years	
Warranty	Aluminium Colour	10 Years	10 Years	15 Years	
Steel Shield	Steel Corrosion	Up to 10 Years	Up to 10 Years	Up to 10 Years	
Warranty	Steel Colour	10 Years	10 Years	15 Years	

Warranties are made up of a colour warranty (for fade and chalking), durability warranty (film integrity for aluminium only), and corrosion warranty (for steel only). They are only valid when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions.

For more information visit duluxpowders.com.au/warranties

Dulux Accredited Powder Coaters

Only Dulux Accredited Powder Coaters are able to issue our Dulux Alumi Shield™ and Steel Shield™ warranties after demonstrating their capability to meet stringent quality conditions and international standards.





For more information visit duluxpowders.com.au/accredited

CustomColour™

range of stocked, readily available products and colours. If you cannot find the colour you require in a particular Call 13 24 99 or visit duluxpowders.com.au.

Advice Line

Our dedicated consultants can help simplify the specification process, saving you time and money by providing the right coating advice for your project. Call 13 24 99 or visit duluxpowders.com.au

Offices

Australia

Dulux Powder Coatings 1-15 Pound Road West, Dandenong South VIC 3175

New Zealand

Dulux Powder Coatings 31B Hillside Road, Glenfield, Auckland 0627 T (64) 4 896 0911

Singapore

DGL International Powder Coatings One Commonwealth, Singapore 149544 T (65) 6 8381 010

DGL International Powder Coatings Room 406, No.8, Lane 1977, JinShaJiang Road, Shanghai, China, PC 200333 T (86) 21 6173 8800